ESSANI®
Lighting & Technology

CONECTOR FÊMEA DE EMBUTIR 2PIN DYNAMIC SERIES

FEMALE CONECTOR EMBEED DYNAMIC SERIES

Modelo/model: EAFT.007.002-V1-F1


Importantes Informações de Segurança
Important Safety Informations

1. Durante a instalação e os trabalhos de manutenção, assim como durante as reparações, o sistema deve estar completamente isolado da rede elétrica.
2. Para a montagem deve utilizar unicamente o material de instalação ou acessórios autorizados.
3. Os danos resultantes de uma utilização errada não estão sujeitos a garantia.
4. No caso de um cabo exterior estar danificado, poderá ser substituído unicamente pelo fabricante ou pelo serviço técnico.
5. Perde o direito de garantia em caso de modificações arbitrárias (entre elas conta também qualquer modificação nos cabos).
6. Guardar as instruções de montagem mesmo após ter realizado a montagem, para poder realizar posteriormente modificações de forma correta.

1. During installation, maintenance and repairs the system must be completely disconnected from the mains electricity supply.
2. Only use approved installation materials or system accessories for mounting.
3. Damage caused by incorrect connection will invalidate warranty entitlement.
4. To avoid hazards, any damaged external lead of the light must only be replaced by the manufacturer or its designated customer care representative.
5. No warranty cover if unauthorized modifications are made.
6. Please keep these installation instructions after installing the product so that any later changes can be carried out in the proper manner.


Parâmetros Técnicos
Technical Parameters


Acabamento Surface finish	**Preto e dourado** Black and golden
Tamanho Size	**14mm X 11mm**
Tipo de conector Conector type	**M1**
Tipologia Typology	**2 PIN**
Comprimento do cabo Cable lenght	**2000mm**
Tipo de cabo Cable type	**26G**
Tensão de funcionamento Working voltage	**Baixa tensão** Low voltage only
Potência Power	**MÁX. 60W (5A)**







Dimensões
Size









Todos os componentes utilizados nas instruções de instalação seguinte são adquiridos separadamente
All the components used in the following installation instructions are purchased separately

Todas as imagens apresentadas são meramente ilustrativas | All images are illutrative purpose only

DESIGNED IN PORTUGAL


ESSANI®
Lighting & Technology

CONECTOR FÊMEA DE EMBUTIR 2PIN DYNAMIC SERIES

FEMALE CONECTOR EMBEED DYNAMIC SERIES

Modelo/model: EAFT.007.002-V1-F1

SISTEMA DYNAMIC EMBUTIR
DYNAMIC SYSTEM EMBEED



A **Conector Fêmea de embutir**
Female connector embeed

B **Conector macho**
Male connector


C **Luz LED**
LED light

D **Transformador LED**
LED driver


Instruções de instalação
Instructions for use



Desmontar sem voltagem
Disassemble without voltage



1 **Embutir o conector fêmea de embutir (A) no furo**
Embeed the female connector (A) in the hole



2 **Encaixar o conector macho (B) no furo da prateleira que pretende eletrificar .**
Fit the male connector (B) in the shelf hole that intend to electrify.

Todas as imagens apresentadas são meramente ilustrativas | All images are illutrative purpose only

DESIGNED IN PORTUGAL


ESSANI®
Lighting & Technology

CONECTOR FÊMEA DE EMBUTIR 2PIN DYNAMIC SERIES


FEMALE CONECTOR EMBEED DYNAMIC SERIES

Modelo/model: EAFT.007.002-V1-F1


SISTEMA DYNAMIC EMBUTIR
DYNAMIC SYSTEM EMBEED



3 **Ajuste a posição do conector macho (B) para um melhor contato**
Adjusting the position of the male conector (B) for better contact.



4 **Conecte o conector macho (B) com o ponto de iluminação LED (C).**
Connect the male connector (B) with the LED lighting (C)



5 **Coloque a prateleira no suporte , criando contacto entre o conector fêmea (A) e o conector macho (B)**
Place the shelf in the holder, creating contact between the female connector (A) and the male connector (B)



6

Todas as imagens apresentadas são meramente ilustrativas | All images are illutrative purpose only

DESIGNED IN PORTUGAL